


PACKAGED LIFT STATION - FIBERGLASS

SUBMITTAL DATA



Packaged System Model Number: _____	
Pump Information	
Type: <input type="checkbox"/> Sump/Effluent <input type="checkbox"/> Grinder <input type="checkbox"/> Non-Clog	Motor: _____ HP _____ RPM
Model Number: _____ Solids Size: _____	Elec: _____ Volts _____ HZ _____ PH
Capacity: _____ GPM _____ TDH	Elec: _____ FL. Amps
Discharge Piping Size and Type	<input type="checkbox"/> 1 1/4" <input type="checkbox"/> 1 1/2" <input type="checkbox"/> 2" <input type="checkbox"/> 3" <input type="checkbox"/> 4" <input type="checkbox"/> 6" <input type="checkbox"/> Sch. 80 PVC Pipe <input type="checkbox"/> Sch. 40 Galvanized Steel <input type="checkbox"/> 304 Stainless Steel <input type="checkbox"/> Other _____
Anti-Floatation Flange	<input type="checkbox"/> Round Fiberglass <input type="checkbox"/> Fiberglass encapsulated ASTM A-36 Steel <input type="checkbox"/> None
Inlet Fitting(s)	Size: _____ Type: _____ Qty.: _____ <input type="checkbox"/> Shipped loose
Lift-Out System	Discharge Size: _____ <input type="checkbox"/> No Lift-Out System
Lifting Mechanism	<input type="checkbox"/> 304 Stainless Steel Chain <input type="checkbox"/> Stainless Steel Cable
Guide Rail Type	<input type="checkbox"/> 304 Stainless Steel <input type="checkbox"/> Sch. 40 Galvanized Steel
Vapor Tight Hatch Cover	<input type="checkbox"/> Fiberglass <input type="checkbox"/> Aluminum <input type="checkbox"/> Steel Vent Size: _____ Discharge Size: _____